


MATERIAL SAFETY DATA SHEET
NUVO AUSTRALIA PTY LTD

(ACN 089 731 617)

324/ 23 MILTON PARADE
MALVERN VIC 3144 AUSTRALIA
PHONE: (03) 9822 2209
FAX: (03) 9822 2109
EMERGENCY No. 0419 341 095 any time
http://www.nuvo.com.au

PRODUCT: LUWAX EVA 3

PRODUCT NAMES: LUWAX EVA 3

OTHER NAMES:
UN NUMBER: Not applicable

HAZCHEM CODE: Not applicable

PACKAGING GROUP: Not applicable

USES:

Ethylene-vinyl acetate copolymer wax for metallic car paints, paints for wood and metal, pigment masterbatches and hot-melts.

DANGEROUS GOODS:
CLASS & SUB RISK: Not applicable

POISONS SCHEDULE: Not applicable

STATEMENT OF HAZARDOUS NATURE:

Not classified as hazardous according to criteria of Worksafe Australia

PHYSICAL DESCRIPTION/PROPERTIES:

APPEARANCE/ODOUR	:	light yellow flakes.
MELTING POINT(°C)	:	93-98°C
FLASH POINT(°C)	:	230°C (DIN 52011)
FLAMMABILITY LIMITS	:	dust explosion hazard
SOLUBILITY IN WATER	:	Insoluble
SPECIFIC GRAVITY	:	0.925-0.93 (23°C)
AUTOIGNITION TEMP.	:	>400°C (DIN 51794)
OTHER PROPERTIES		
Solidification Temperature	:	76-78°C
Congearing Point	:	92-97°C
Dropping Point	:	98-104°C
Melt Viscosity (100°C)	:	1200-1500 mm ² /s

INGREDIENTS:

CHEMICAL ENTITY	CAS No.	PROPORTION
Ethylene-vinyl acetate copolymer wax	Proprietary	100%

1. HEALTH HAZARD INFORMATION
Health Effects:
Acute:
Swallowed

Adverse effects are not expected

Eyes

May cause slight eye irritation.

Skin

Is not expected to cause skin irritation.

Inhaled

Inhalation of dust may result in slight respiratory irritation.

Chronic:

Effects are not known.

MATERIAL SAFETY DATA SHEET**PRODUCT: LUWAX EVA 3****2. FIRST AID****Swallowed**

Rinse mouth and then drink plenty of water.

Eyes

Flush with water for at least 15 minutes. If irritation persists call a doctor.

Skin

Wash contact area with soap and water. Remove contaminated clothing.

Inhaled

If difficulties occur after dust has been inhaled, move victim to fresh air then seek medical attention.

Advice to doctor

Treat according to symptoms (decontamination, vital functions).

No known specific antidote.

Toxicity Data:

Toxicity data for products of similar composition:

Acute oral toxicity: LD50 >2000 mg/kg (rat)

Acute skin irritation: non-irritant (rabbit)

Acute eye irritation: non-irritant (rabbit)

Acute inhalation hazard: no mortalities after 8 h exposure in a highly enriched and/or saturated atmosphere at 20°C (rat).

3. PRECAUTIONS FOR USE**Exposure standards**

An exposure standard has not been established for this product. The following is recommended for nuisance dusts: TWA 10 mg/m³

Engineering controls

Ensure workplace is well ventilated. Breathing must be protected when decanting large quantities of product without local exhaust ventilation.

Personal protection

Protective goggles

Protective gloves

Dust mask if dust exposure is likely or expected.

Protective overalls

Environment

The product is insoluble in water and thus can be separated from water mechanically in suitable effluent treatment plants. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. This product does not contain organically bound halogens.

Personal protection comments

Employ good hygiene practices when using. Wash hands thoroughly after handling.

A safety shower and eyewash fountain should be available in all work areas.

Flammability

Combustible solid.

4. SAFE HANDLING INFORMATION**Storage conditions**

Not classified as a dangerous good for storage or transport. Avoid dust formation. Take precautionary measures against static discharges. Sources of ignition should be kept clear.

Keep tightly closed in a dry and cool place.

Not subject to hazardous substances labelling.

MATERIAL SAFETY DATA SHEET**PRODUCT: LUWAX EVA 3****Spills & disposal**

Contain and sweep/shovel up spills or use an industrial vacuum cleaner. Do not let product enter drains. Clean up personnel should wear protective overalls with gloves, goggles and approved dust mask. Place waste in labelled containers for disposal. Must be disposed to approved landfill or incinerated in accordance with local regulations. Uncontaminated packs can be reused or recycled. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

Fire/Explosion Hazard

In case of fire use water spray, dry extinguishing media or foam. Do not use CO₂. The following can be given off in a fire: gases/vapours. The degree of risk is governed by the burning substance and the fire conditions. Dust explosion hazard. In case of fire, wear self-contaminated breathing apparatus. Reactivity Data: no decomposition if correctly stored and handled.

Reference:

BASF Material Safety Data Sheet BA0Z8 (October 1996)

CONTACT POINT: Emergency response No. 0419 341 095 (all hours)

DISCLAIMER: The information given in this data sheet is based on data supplied by the manufacturer and is, to the best of our knowledge, true and accurate, but any recommendations or suggestions that may be made are without guarantee, since the conditions of use are beyond our control. The information and recommendations offered are for the user's consideration and it is the user's responsibility to satisfy themselves that they are suitable and complete for this particular purpose. We recommend that the safety and handling information presented in this data sheet be passed on, in an appropriate format, to your customers and handlers.